

Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

1. IDENTIFICATION OF THE SUBSTANCE / APPLICATION AND THE COMPANY

Supplier: Product Name: Penske Synthetic Shock Fluid 2.5WT

Maxima Racing Oils Article Number: 080415-B

9266 Abraham Way

Santee, CA 92071 Applications: Shock Fluid

USA

+1 619 449 5000 **Emergency Telephone:** CHEMTREC +1 703 527 3887 (24 hours)

2. HAZARDS IDENTIFICATION

GHS Classification

Eye Irritation: Category 2A

GHS Pictogram



Signal Word Warning!

Hazard Statements H319 Causes serious eye irritation.

Precautionary Statements

Prevention P264 Wash thoroughly after handling.

P280 Wear eye protection and face protection.



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Response P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for

several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P337 + P313 If eye irritation persists: Get medical attention.

Storage None

Disposal None

Other Hazards None

3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	Content %	CAS Number
Synthetic Base Oils	70-80	Proprietary
Multifunctional Additive Mixture	10-20	Mixture
Zinc Alkyldithiophosphate	<1	Proprietary
Organosulfur-Phosphorus Compound	<1	Proprietary

The specific identity and/or exact percentage has been withheld as a trade secret.

4. FIRST-AID MEASURES

Inhalation If inhaled remove to fresh air. If irritation or difficulty in breathing occurs, get

medical attention.

Skin Contact Wash skin with soap and water. Remove clothing and shoes if contaminated.

Launder clothing before reuse.



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Eye Contact Flush eyes with water for several minutes. Remove contact lenses, if present

and easy to do so. If eye irritation persists, get medical attention.

Ingestion If conscious, rinse mouth with water. Do not induce vomiting. Never give

anything by mouth to an unconscious person. Get medical attention.

Most Important

Symptoms

Causes eye irritation. Prolonged skin contact may cause irritation. Inhalation of vapors or mists may cause respiratory irritation. Swallowing may cause

gastrointestinal irritation, nausea, vomiting and diarrhea.

Indication of

Immediate Medical Attention Needed Immediate medical attention is not required.

Notes to Physician

Treat appropriately

5. FIRE FIGHTING MEASURES

Suitable Extinguishing

Media

Use water fog, foam, dry chemical or carbon dioxide (CO2) to extinguish

flames.

Specific Hazards

Arising From The

Chemical

This material will burn although it is not easily ignited. Combustion will

produce carbon oxide and unidentified organic compounds.

Special Protective

Equipment And

Precautions For Fire-

Fighters

Firefighters should wear full emergency equipment and a NIOSH approved positive pressure self-contained breathing apparatus. Cool exposed intact

containers with water

6. ACCIDENTAL RELEASE MEASURES



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Personal Precautions Wear appropriate protective equipment. Wash thoroughly after handling. See

also: "Personal Protection "section 8.

Environmental Hazards Avoid release into the environment. Report spill as required by local and

federal regulations.

Methods/Materials for

Cleaning up

Dike spill and collect with an inert absorbent. Place into closable containers for disposal. Collected material is handled in accordance with section 13

"Disposal Considerations".

7. HANDLING AND STORAGE

Precautions for Safe

Handling:

Avoid contact with eyes and prolonged or repeated contact with skin and clothing. Avoid breathing vapors and mists. Wash thoroughly after handling.

Remove oil-soaked clothing and launder before re-use.

Conditions for Safe

Storage

Store in a cool area away from oxidizing agents. Protect containers from

physical damage.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure Limits Synthetic Base Oils 5 mg/m3 TWA Manufacturer

> Multifunctional Additive Mixture None Established

> Zinc alkyldithiophosphate None Established

> Organosulfur-Phosphorus None Established

Compound

Appropriate

Engineering Controls

Good general room ventilation (equivalent to outdoors) should be adequate under normal conditions.. If the recommended exposure limit is exceeded increased mechanical ventilation such as local exhaust may be required.



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Personal Protection

Respiratory None needed under normal use conditions with adequate ventilation. If

Protection: exposure limits are exceeded, use a NIOSH approved respirator with organic

vapor cartridges and particulate pre-filter. Selection of respiratory protection depends on the contaminant type, form and concentration. Select in accordance with OSHA 1910.134 and good Industrial Hygiene

practice.

Eye Protection: Safety glasses or goggles recommended if splashing is possible.

Skin/Body Protection: No special protective clothing is normally required. If there is a potential

for prolonged skin contact, wear a long sleeved shirt and apron. Neoprene or nitrile rubber boots when necessary to avoid contaminating shoes.

Hand Protection: Use nitrile or neoprene gloves for prolonged or repeated skin contact. .

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance Liquid

Color Amber

Odor Petroleum odor

Odor Threshold No data available

pH No data available

Freezing Point No data available

Boiling Point No data available

Flash Point 485°F / 252°C

Evaporation Rate No data available

Flammability (solid, gas) No data available



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Upper Explosion Limit No data available

Lower Explosion Limit No data available

Vapor Pressure <0.01 mmHg @ 100°F

Vapor Density (Air=1) >1

Relative Density 0.8314 @ 15.6°C

Soluble in hydrocarbons; insoluble in water

Partition Coefficient: n-

octanol/water

No data available

Auto Ignition No c

Temperature

No data available

Decomposition

No data available

Temperature

Volatile Organic

No data available

Compounds (VOC)

Viscosity 2.5WT: 13.7 cSt @ 40°C / 3.9 cSt @ 100°C

10. STABILITY AND REACTIVITY

Reactivity Not expected to be reactive.

Chemical Stability Stable.

Possibility of Hazardous

Reactions

None known.

Conditions to Avoid Avoid temperatures over 120°F, open flames and sparks.

Incompatible Materials Avoid contact with strong oxidizing agents.



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Hazardous Decomposition Product Thermal decomposition may produce carbon oxides and

unidentified organic compounds

11. TOXICOLOGICAL INFORMATION

Potential Health Hazards

Eye Contact: May cause mild irritation

Skin Contact: Prolonged or repeated contact may cause mild irritation or dryness. Repeated skin contact may cause dermatitis.

Inhalation: Excessive inhalation of vapors or mists may cause upper respiratory tract irritation and central nervous system effects including headache, dizziness and nausea. Breathing high concentrations of oil mists may cause lung damage.

Ingestion: Swallowing large amounts may cause gastrointestinal effects including nausea and diarrhea.

Chronic Effects of Overexposure: Used motor oils have been found to cause skin cancer in skin painting studies with laboratory animals.

Sensitization: None of the components have been found to cause sensitization in animals or humans.

Mutagenicity: This product is not expected to cause mutagenic activity.

Reproductive Toxicity: This product is not expected to cause reproductive or developmental effects.

Carcinogenicity: None of the components of this product are listed as a carcinogen or suspected carcinogen by IARC, NTP, or OSHA.

Acute Toxicity:

Synthetic Base Oils Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5.2 mg/L/4 hr,

Dermal rat LD50 >2000 mg/kg,

Multifunctional Additive Oral rat LD50 >5000 mg/kg, Inhalation rat LC50 >5 mg/L/4 hr,

Mixture Dermal rabbit LD50>2000 mg/kg.,



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Zinc Alkyldithiophosphate Oral rat LD50 3100 mg/kg, Inhalation rat LC50 >2.3 mg/L/4 hr (no

mortality), Dermal rat LD50 >2002 mg/kg

Organosulfur-Phosphorus

Compound

Oral rat LD50 113000 mg/kg,

12. ECOLOGICAL INFORMATION

Ecotoxicity

Synthetic Base Oils 96 hr LL50 Oncorhynchus mykiss >1000 mg/L, 48 hr EL50 daphnia

magna >1000 mg/L, 72 hr EL50 Scenedesmus capricornutum 1000

mg/L

Multifunctional Additive

Mixture

96 hr LC50 fish >100 mg/L, 48 hr daphnia magna >100 mg/L, 72 hr

EC50 algae >100 mg/L

Zinc Alkyldithiophosphate 96 hr LC50 Oncorhynchus mykiss 4.5 mg/L, 48 hr EC50 daphnia

magna 23 mg/L, 72 hr EC50 Scenedesmus quadricauda 21 mg/L

Organosulfur-Phosphorus

Compound

No data available

Biodegradation Synthetic base oils and multifunctional additive are inherently

biodegradable.

Bioaccumulation Synthetic base oils is not expected to bioaccumulate. Multifunctional

additive mixture has the potential to bioaccumulate.

Mobility in soil No data available

Other adverse effects: None known.

13. DISPOSAL CONSIDERATIONS

Disposal Dispose in accordance with all local, state and federal regulations.



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

14. TRANSPORT INFORMATION

	UN	Proper shipping name	Hazard	Packing	Environmental
	Number		Class	Group	Hazard
DOT		Not Regulated			
TDG		Not Regulated			
IMDG		Not Regulated			
IATA		Not Regulated			

Transport in bulk (according to Annex II of MARPOL 73/78 and the IBC Code): Not applicable – product is transported only in packaged form

Special precautions: None known.

15. REGULATORY INFORMATION

CERCLA: This product is not subject to CERCLA reporting requirements, however, oil spills are reportabl to the National Response Center under the Clean Water Act and many states have more stringent release reporting requirements. Report spills required under federal, state and local regulations.

EPA SARA 302: This product does not contain chemicals regulated under SARA Section 302.

EPA SARA 311 Hazard Classification: Acute Health.

EPA SARA 313: This product contains the following chemicals that are regulated under SARA Title III, section 313:

Zinc Compounds Proprietary <1%

Zinc Alkyl Dithiophosphate

California Proposition 65: This product contains the following chemicals known to the State of Californi to cause cancer and reproductive toxicity:

Benzene 0.17 ppb Cancer, developmental, male

reproductive toxicity

Toluene 108-88-3 0.17 ppb Developmental



Version: 1.1

Released: 2016-05-31 Revision Date: 2016-05-31

Ethylbenzene 100-41-4 1.5 ppb Cancer

Naphthalene 91-20-3 1.5 ppb Cancer

Chemical Inventories

Toxic Substances Control Act: All of the components of this product are listed on the TSCA inventory

Canadian CEPA: All of the components in this product are listed on the Canadian DSL.

Korea: All of the components in this product are listed on the Korean Existing Chemical Inventory

(KECL).

16. OTHER INFORMATION

NFPA Rating (NFPA 704): Health: 2 Fire: 1 Instability: 0 HMIS Rating: Health: 2 Fire: 1 Physical Hazard: 0

Date of Revision: May 28, 2015

Date of Previous Revision: August 2004

Revision History:

5/28/15: Converted to GHS format. All section revised

The above information is based on the data of which we are aware and is believed to be correct as of the date hereof. Since this information may be applied under conditions beyond our control and with which we may be unfamiliar and since data made available subsequent to the date hereof may suggest modifications of the information, we do not assume any responsibility for the results of its use. This information is furnished upon condition that the person receiving it shall make his own determination of the suitability of the material for his particular purpose.